

Bending Irons

Bending Iron

Description	Part #
For Bending and Contouring Titanium Mini Plates, 5¼ inches (13.5 cm)	70-008



Bending Iron

Description	Part #
For Bending and Contouring 3.5 and 4.5 mm Plates, 8 inches (20 cm)	70-004



Bending Irons

Plate Bending Irons

Description	Part #
For 2.7 and 3.5 mm Plates, Used in Pairs with 70-007, 5½ inches (14 cm)	70-006
For 2.7 and 3.5 mm Plates, Used in Pairs with 70-006, 5½ inches (14 cm)	70-007



Mini Plate Bending Iron

Description	Part #
For Mini and Finger Plates, 5¼ inches (13.5 cm)	70-005



Bending Irons

Bending Iron

Description	Part #
For Standard Plates and Wires, 7½ inches (24 cm)	70-003



Bending Presses

Bending Press



Description	Part #
For Plates up to 6 mm, 17 inches (43 cm) in Length	70-009

Bone Mills

Bone Mill with Crank



Description	Part #
Length Without Crank 12 inches (30.5 cm), Bone Mill Mounts to a Table	70-032
<i>Cutting Cylinder and Fixation Clamp Not Included: Available Separately</i>	

Cutting Cylinder for Bone Mill

Description	Part #
3.2 mm Diameter Holes, Five Cutting Edges	70-034
4.2 mm Diameter Holes, Four Cutting Edges	70-033



Fixation Clamp for Bone Mill

Description	Part #
Fixation Clamp for Bone Mill	70-035



Diameter	Length	Part #
2.5 mm	180 mm	70-036
3 mm	180 mm	70-038
3.5 mm	180 mm	70-040
4 mm	180 mm	70-042
4.5 mm	180 mm	70-044
5 mm	180 mm	70-046
6 mm	180 mm	70-048
2.5 mm	200 mm	70-037
3 mm	200 mm	70-039
3.5 mm	200 mm	70-041
4 mm	200 mm	70-043
4.5 mm	200 mm	70-045
5 mm	200 mm	70-047
6 mm	200 mm	70-049



Steinmann

Diameter	Length	Part #
3.2 mm	230 mm	70-050
3.5 mm	230 mm	70-053
4 mm	230 mm	70-056
4.5 mm	230 mm	70-059
5 mm	230 mm	70-062
6 mm	230 mm	70-065
3.2 mm	250 mm	70-051
3.5 mm	250 mm	70-054
4 mm	250 mm	70-057
4.5 mm	250 mm	70-060
5 mm	250 mm	70-063
6 mm	250 mm	70-066
3.2 mm	300 mm	70-052
3.5 mm	300 mm	70-055
4 mm	300 mm	70-058
4.5 mm	300 mm	70-061
5 mm	300 mm	70-064
6 mm	300 mm	70-067



Cutters

Cannulated Pin Cutter

Description	Part #
For K-Wires up to 1.6 mm, 7¼ inches (18.5 cm)	70-128



Diamond Pin Cutter

Description	Part #
Maximum Capacity 2 mm, 6½ inches (16 cm)	70-129



Parallel Pliers with Side Cutter

Description	Part #
Maximum Cutting Capacity 1.6 mm, 7¼ inches (18.5 cm)	70-130



Tungsten Carbide Side and End Cutter

Description	Part #
For Hard Wire up to 1.7 mm, 7 inches (18 cm)	70-139



Cutting Pliers

Cutting Pliers

Description	Part #
For Plates up to 1.5 mm, 9/4 inches (23.5 cm)	70-140



Strong Plate and Wire Cutting Pliers

Description	Part #
For Wire from 2 to 3.5 mm Diameter: For Plates with 2 mm Thickness, 8 1/2 inches (24 cm)	70-141



Cutting Pliers

Tungsten Carbide Wire Cutting Pliers

Description	Part #
For Soft Wire up to 2.0 mm: For Hard Wire up to 1.7 mm, 7 inches (18 cm)	70-142
For Soft Wire up to 3.0 mm: For Hard Wire up to 2.5 mm, 8½ inches (22 cm)	70-143



Tungsten Carbide Wire Cutting Pliers

Description	Part #
For Hard Wire up to 0.6 mm Diameter, 5½ inches (14 cm)	70-144



Drivers

Driver

Description	Part #
Single Handle Operation, Chuckless, Depthscale, Autoclavable, For Wire up to .062 inches (1.6 mm), 5½ inches (14 cm)	70-149



Pin Driver

Description	Part #
For Pins up to 3.25 mm, 5½ inches (14 cm)	70-148



Forceps

Bone Reduction Forceps with K-Wire Guide

Description	Part #
Cannulation Accommodates up to 1.1 mm K-Wire, 5¼ inches (13 cm)	70-173
Cannulation Accommodates up to 1.3 mm K-Wire, 5¼ inches (13 cm)	70-174
Cannulation Accommodates up to 1.6 mm K-Wire, 5¼ inches (13 cm)	70-175
Cannulation Accommodates up to 1.8 mm K-Wire, 6 inches (15 cm)	70-176



Bone Reduction Forceps


Description	Part #
Curved, Pointed Tips, 5¼ inches (13.5 cm)	70-168



Forceps


Bone Reduction Forceps with Fixation Screw

Description	Part #
5 1/4 inches (13.5 cm) in Length	70-170
6 3/4 inches (17.5 cm) in Length	70-171
8 1/4 inches (21 cm) in Length	70-172



Bone Reduction Forceps

Description	Part #
Ratchet Length 2 inches (5.08 cm), Opening 4 inches (10.16 cm), 8 inches (20.32 cm) in Length	70-167



Bending Forceps


Plate Bending Forceps

Description	Part #
For Plates up to 12 x 2.5 mm, 10¼ inches (26 cm)	70-183



K-Wires

Trocar/Round




Diameter	150 mm	230 mm	310 mm
1.6 mm	72-285	72-296	72-307
1.7 mm	72-286	72-297	72-308
1.8 mm	72-287	72-298	72-309
1.9 mm	72-288	72-299	72-310
2.0 mm	72-289	72-300	72-311
2.2 mm	72-290	72-301	72-312
2.3 mm	72-291	72-302	72-313
2.4 mm	72-292	72-303	72-314
2.5 mm	72-293	72-304	72-315
2.8 mm	72-294	72-305	72-316
3.0 mm	72-295	72-306	72-317

K-Wire Material: 1.4441, Sold in Packs of 6

K-Wires


Trocar/Round, 15 mm Thread



Diameter	150 mm	230 mm	310 mm
1.6 mm	70-330	70-331	70-332
1.7 mm	---	70-333	70-334
1.8 mm	---	70-335	70-336
1.9 mm	---	70-337	70-338
2.0 mm	---	70-339	70-340
2.2 mm	---	70-341	70-342
2.3 mm	---	70-343	70-344
2.4 mm	---	70-345	70-346
2.5 mm	---	70-347	70-348
2.8 mm	---	70-349	70-350
3.0 mm	---	70-351	70-352


K-Wire Material: 1.4441, Sold in Packs of 6

Trocar/Round, Complete Thread



Diameter	150 mm	230 mm	310 mm
1.6 mm	70-314	70-315	70-988
1.7 mm	70-316	70-317	70-978
1.8 mm	70-318	70-319	70-979
1.9 mm	70-320	70-321	70-980
2.0 mm	70-322	70-323	70-981
2.2 mm	---	70-324	70-982
2.3 mm	---	70-325	70-983
2.4 mm	---	70-326	70-984
2.5 mm	---	70-327	70-985
2.8 mm	---	70-328	70-986
3.0 mm	---	70-329	70-987

K-Wire Material: 1.4441, Sold in Packs of 6




Diameter	70 mm	100 mm	150 mm	230 mm	310 mm
0.8 mm	70-353	70-354	70-355	70-356	70-357
0.9 mm	70-358	70-359	70-360	70-361	70-362
1.0 mm	70-363	70-364	70-365	70-366	70-367
1.1 mm	70-368	70-369	70-370	70-371	70-372
1.2 mm	70-373	70-374	70-977	70-375	70-376
1.3 mm	---	---	70-377	70-378	70-379
1.4 mm	---	---	70-380	70-381	70-382
1.5 mm	---	---	70-383	70-384	70-385
1.6 mm	---	---	70-386	70-387	70-388
1.7 mm	---	---	---	70-389	70-390
1.8 mm	---	---	---	70-391	70-392
1.9 mm	---	---	---	70-393	70-394
2.0 mm	---	---	---	70-395	70-396
2.2 mm	---	---	---	70-397	70-398
2.3 mm	---	---	---	70-399	70-400
2.4 mm	---	---	---	70-401	70-402
2.5 mm	---	---	---	70-403	70-404
2.8 mm	---	---	---	70-405	70-406
3.0 mm	---	---	---	70-407	70-408

K-Wire Material: 1.4441, Sold in Packs of 6


K-Wires

Diamond/Diamond



Diameter	70 mm	100 mm	150 mm	230 mm	310 mm
0.8 mm	70-200	70-201	70-202	70-203	70-204
0.9 mm	70-205	70-206	70-207	70-208	70-209
1.0 mm	70-210	70-211	70-212	70-213	70-214
1.1 mm	70-215	70-216	70-217	70-218	70-219
1.2 mm	70-220	70-221	70-222	70-223	70-224
1.3 mm	---	---	70-225	70-226	70-227
1.4 mm	---	---	70-228	70-229	70-230
1.5 mm	---	---	70-231	70-232	70-233
1.6 mm	---	---	70-234	70-235	70-236
1.7 mm	---	---	---	70-237	70-238
1.8 mm	---	---	---	70-239	70-240
1.9 mm	---	---	---	70-241	70-242
2.0 mm	---	---	---	70-243	70-244
2.2 mm	---	---	---	70-245	70-246
2.3 mm	---	---	---	70-247	70-248
2.4 mm	---	---	---	70-249	70-250
2.5 mm	---	---	---	70-251	70-252
2.8 mm	---	---	---	70-253	70-254
3.0 mm	---	---	---	70-255	70-256

K-Wire Material: 1.4441, Sold in Packs of 6



Diameter	70 mm	100 mm	150 mm	230 mm	310 mm
0.8 mm	70-257	70-258	70-259	70-260	70-261
0.9 mm	70-262	70-263	70-264	70-265	70-266
1.0 mm	70-267	70-268	70-269	70-270	70-271
1.1 mm	70-272	70-273	70-274	70-275	70-276
1.2 mm	70-277	70-278	70-279	70-280	70-281
1.3 mm	---	---	70-282	70-283	70-284
1.4 mm	---	---	70-285	70-286	70-287
1.5 mm	---	---	70-288	70-289	70-290
1.6 mm	---	---	70-291	70-292	70-293
1.7 mm	---	---	---	70-294	70-295
1.8 mm	---	---	---	70-296	70-297
1.9 mm	---	---	---	70-298	70-299
2.0 mm	---	---	---	70-300	70-301
2.2 mm	---	---	---	70-302	70-303
2.3 mm	---	---	---	70-304	70-305
2.4 mm	---	---	---	70-306	70-307
2.5 mm	---	---	---	70-308	70-309
2.8 mm	---	---	---	70-310	70-311
3.0 mm	---	---	---	70-312	70-313

K-Wire Material: 1.4441, Sold in Packs of 6

Mallet

Description	Part #
Complete Mallet: 0.72 lbs (325 grams) Mallet Head: 0.43 lbs (195 grams) Steel Insert: 0.11 lbs (50 grams) Plastic Insert: 0.02 lbs (10 grams)	70-418



Plate Bending Pliers

Plate Bending Pliers

Description	Part #
For Mini-Plates up to 2.75 mm, 7 inches (18 cm)	70-484



Plate Bending Pliers

Description	Part #
For Plates up to 1.6 mm, 7 ³ / ₄ inches (20 cm)	70-482
For Plates up to 3 mm, 9 ¹ / ₂ inches (24 cm)	70-483



Plate Bending Pliers

Flat Nose K-Wire Pliers

Description	Part #
3 mm Tip, 6³/₄ inches (17 cm)	70-480
3 mm Tip, With Grooves, 6³/₄ inches (17 cm)	70-479



Parallel Pliers

Description	Part #
Maximum Capacity 11 mm, 7¹/₄ inches (18.5 cm)	70-481



Quick Coupling Extension

Universal Quick Coupling Extension for Handles




Description	Part #
Long Cardan Joint	70-764


Screw Drivers

Screw Driver Shaft

Description	Part #
Single Slot, Quick Coupling End	70-922
Small Phillips , Quick Coupling End	70-925
Large Philips, Quick Coupling End	70-924



Description	Part #
Cross Slot, Quick Coupling End	70-923
Hexagonal 2.5 mm, Quick Coupling End	70-927
Hexagonal 3.5 mm, Quick Coupling End	70-926



Screw Driver Handles

Handle

Description	Part #
In-Line Handle	70-921



T-Handle

Description	Part #
T-Handle	70-920



Screw Holding Forceps

Screw Holding Forceps

Description	Part #
For Screws 1.5 - 2.7 mm Diameter	70-928
For Screws 3.5 - 6.5 mm Diameter	70-929



Tension Devices

Tension Device

Description	Part #
20 mm Span, Satin Finish, 3½ inches (8.89 cm)	70-931
20 mm Span, Glass Bead Finish, 3½ inches (8.89 cm)	70-930

